

Schlüter®-JOLLY

Edge protection for wall tiles protection



**New: Improved geometry
and smart corners and connectors**



PROFILE OF INNOVATION

The new Schlüter-JOLLY

The well-known profile has a new 90° geometry for perfect edge protection. We have also developed a new solution to optimise neat edge and corner finishing: A new corner piece for Schlüter-JOLLY that is quickly and securely attached with pins. This creates neat and dependable solutions for corners where three tiled surfaces come together. The new corner piece is available in many different materials and finishes, including select TRENDLINE-colours. Thanks to the new profile cross-sections, JOLLY and QUADec profiles can now be combined as well.



stainless steel



aluminium, TRENDLINE textured coating




aluminium, colour coated




Design from a fresh angle

- ✓ Trusted profile in new 90° geometry for wall installation
- ✓ Proven joint spacer
- ✓ 2 grout joints: dependable and durable edge protection
- ✓ Attachment groove for profile and corner connectors
- ✓ Innovative snap-in connection for corners
- ✓ Easy corner installation without mitre cuts
- ✓ Clean and symmetrical edge and corner formations
- ✓ Pin connectors for profiles and corners
- ✓ Corners made of solid materials
- ✓ Universal corners for use on the right and left
- ✓ Corners suited for creating 2-way and 3-way corner formations
- ✓ Corner formation feasible with or without prefabricated part
- ✓ Corner formation can also be combined with Schlüter-QUADEC profiles





Now available. Geometric undercutting for bonding with the grout.




FINISHING PROFILE

Schlüter®-JOLLY



Schlüter-JOLLY are decorative metal profiles to finish and protect tiled external wall corners and other tiled edges, e.g. tiled skirting. The 90 degree angled finishing leg safeguards tiles against mechanical damage. The joint spacers on both sides create a uniform grout joint with the tile. The geometric profile undercutting offers additional bonding surface for the grout. The innovative plug-in connection of the corner pieces results in neat, visually appealing corner formations.
(Product data sheet 2.3)



Schlüter®-JOLLY-MC



chrome plated brass

H (mm)	L = 2.50 m Art. No.
6	J 60 MC
8	J 80 MC
10	J 100 MC
11	J 110 MC
12.5	J 125 MC

Schlüter®-JOLLY-EB



brushed stainless steel V2A

H (mm)	L = 2.50 m Art. No.
6	J 60 EB
8	J 80 EB
10	J 100 EB
11	J 110 EB
12.5	J 125 EB

Schlüter®-JOLLY-AE



anodised aluminium

H (mm)	L = 2.50 m Art. No.
6	J 60 AE
8	J 80 AE
10	J 100 AE
11	J 110 AE
12.5	J 125 AE

For 3 metre length, add "/300" to art. no. (e.g. J 60 AE/300).



CORNER | CONNECTOR

Schlüter®-JOLLY-MC/EV

90° external corner
solid chrome plated brass

H (mm)	Art. No.
6	EV / J 60 MC
8	EV / J 80 MC
10	EV / J 100 MC
11	EV / J 110 MC
12.5	EV / J 125 MC

Schlüter®-JOLLY-EB/EV

90° external corner
brushed solid stainless steel V2A

H (mm)	Art. No.
6	EV / J 60 EB
8	EV / J 80 EB
10	EV / J 100 EB
11	EV / J 110 EB
12.5	EV / J 125 EB

Schlüter®-JOLLY-AE/EV


90° external corner
anodised aluminium

H (mm)	Art. No.
6	EV / J 60 AE
8	EV / J 80 AE
10	EV / J 100 AE
11	EV / J 110 AE
12.5	EV / J 125 AE

Schlüter®-JOLLY/V

connector for JOLLY profiles (4 pcs.)

Art. No.
V / JPP 4



For an overview of finishes and colours as well as information on radius perforation, please see our price list PS 22 from page 284.




FINISHING PROFILE

Schlüter®-JOLLY-TS



Schlüter-JOLLY-TS are decorative profiles to finish and protect tiled external wall corners and other tiled edges, e.g. in tiled skirtings. The 90 degree angled finishing leg safeguards tiles against mechanical damage. The profiles are made from powder-coated, textured aluminium. The joint spacers on both sides create a uniform grout joint with the tile. The geometric profile undercutting offers additional bonding surface for the grout. The innovative plug-in connection of the corner pieces results in neat, visually appealing corner formations.

(Product data sheet 2.3)



Schlüter®-JOLLY-TSI



aluminium, textured natural ivory

H (mm)		L = 2.50 m Art. No.
6	③	J 60 TSI
8	③	J 80 TSI
10	③	J 100 TSI
11	③	J 110 TSI
12.5	③	J 125 TSI
★ 14		J 140 TSI
★ 16		J 160 TSI
★ 21		J 210 TSI

Schlüter®-JOLLY-TSC



aluminium, textured natural cream

H (mm)		L = 2.50 m Art. No.
6	③	J 60 TSC
8	③	J 80 TSC
10	③	J 100 TSC
11	③	J 110 TSC
12.5	③	J 125 TSC

Schlüter®-JOLLY-TSBG



aluminium, textured natural beige grey

H (mm)		L = 2.50 m Art. No.
6	③	J 60 TSBG
8	③	J 80 TSBG
10	③	J 100 TSBG
11	③	J 110 TSBG
12.5	③	J 125 TSBG

Schlüter®-JOLLY-TSB



aluminium, textured natural beige

H (mm)		L = 2.50 m Art. No.
6	③	J 60 TSB
8	③	J 80 TSB
10	③	J 100 TSB
11	③	J 110 TSB
12.5	③	J 125 TSB

Schlüter®-JOLLY-TSSG



aluminium, textured natural stone grey

H (mm)		L = 2.50 m Art. No.
6	③	J 60 TSSG
8	③	J 80 TSSG
10	③	J 100 TSSG
11	③	J 110 TSSG
12.5	③	J 125 TSSG
14		J 140 TSSG
16		J 160 TSSG
21		J 210 TSSG

Schlüter®-JOLLY-TSG



aluminium, textured natural grey

H (mm)		L = 2.50 m Art. No.
6	③	J 60 TSG
8	③	J 80 TSG
10	③	J 100 TSG
11	③	J 110 TSG
12.5	③	J 125 TSG

Schlüter®-JOLLY-TSOB



aluminium, textured natural bronze

H (mm)		L = 2.50 m Art. No.
6	③	J 60 TSOB
8	③	J 80 TSOB
10	③	J 100 TSOB
11	③	J 110 TSOB
12.5	③	J 125 TSOB
14		J 140 TSOB
16		J 160 TSOB
21		J 210 TSOB

Schlüter®-JOLLY-TSLA



aluminium, textured natural light anthracite

H (mm)		L = 2.50 m Art. No.
6	③	J 60 TSLA
8	③	J 80 TSLA
10	③	J 100 TSLA
11	③	J 110 TSLA
12.5	③	J 125 TSLA

Schlüter®-JOLLY-TSDA



aluminium, textured natural dark anthracite

H (mm)		L = 2.50 m Art. No.
6	③	J 60 TSDA
8	③	J 80 TSDA
10	③	J 100 TSDA
11	③	J 110 TSDA
12.5	③	J 125 TSDA

For 3 metre length, add "/300" to art. no. (e.g. J 60 TSI/300).

**Schlüter®-JOLLY-TSR**

aluminium, textured natural rustic brown

H (mm)		L = 2.50 m Art. No.
6	⊗	J 60 TSR
8	⊗	J 80 TSR
10	⊗	J 100 TSR
11	⊗	J 110 TSR
12.5	⊗	J 125 TSR

Schlüter®-JOLLY-MBW

colour coated aluminium, matte brilliant white

H (mm)		L = 2.50 m Art. No.
6	⊗	J 60 MBW
8	⊗	J 80 MBW
10	⊗	J 100 MBW
11	⊗	J 110 MBW
12.5	⊗	J 125 MBW

Schlüter®-JOLLY-MGS

colour coated aluminium, matte graphite black

H (mm)		L = 2.50 m Art. No.
6	⊗	J 60 MGS
8	⊗	J 80 MGS
10	⊗	J 100 MGS
11	⊗	J 110 MGS
12.5	⊗	J 125 MGS


For 3 metre length, add "/300" to art. no. (e.g. J 60 TSI/300).

CORNER | CONNECTOR**Schlüter®-JOLLY-TS/EV**90° external corner
aluminium, textured natural

H (mm)	Art. No.
6	EV / J 60 ...*
8	EV / J 80 ...*
10	EV / J 100 ...*
11	EV / J 110 ...*
12.5	EV / J 125 ...*
14	EV / J 140 ...**
16	EV / J 160 ...**
21	EV / J 210 ...**

Schlüter®-JOLLY-AC/EV90° external corner
for JOLLY-MBW/-MGS, colour coated aluminium

H (mm)	Art. No.
6	EV / J 60 ...***
8	EV / J 80 ...***
10	EV / J 100 ...***
11	EV / J 110 ...***
12.5	EV / J 125 ...***

**Schlüter®-JOLLY/V**

connector for JOLLY profiles (4 pcs.)

Art. No.
V / JPP 4



To complete the art. no., add the finish/colour (e.g. EV / J 60 MGS)



* Finishes/colours: TSB - TSBG - TSC - TSDA - TSG - TSI - TSLA - TSOB - TSR - TSSG

** Finishes/colours: TSI - TSOB - TSSG

*** Finishes/colours: MBW - MGS

AVAILABLE FINISHES/COLOURS

For an overview of finishes and colours as well as information on radius perforation, please see our price list PS 22 from page 284.

⊗ Radius perforation ⊗ also available in length of 3 m




FINISHING PROFILE

Schlüter®-JOLLY-A



Schlüter-JOLLY-A is a decorative profile made of anodised aluminium to finish and protect tiled external wall corners and other tiled edges, e.g. tiled skirting. The 90 degree angled finishing leg safeguards tiles against mechanical damage. The joint spacers on both sides create a uniform grout joint with the tile. The geometric profile undercutting offers additional bonding surface for the grout. The innovative plug-in connection of the corner pieces results in neat, visually appealing corner formations.

(Product data sheet 2.3)



Schlüter®-JOLLY-ACG



polished chrome anodised aluminium

H (mm)		L = 2.50 m Art. No.
6	③	J 60 ACG
8	③	J 80 ACG
10	③	J 100 ACG
11	③	J 110 ACG
12.5	③	J 125 ACG

Schlüter®-JOLLY-ACGB



brushed chrome anodised aluminium

H (mm)		L = 2.50 m Art. No.
6		J 60 ACGB
8		J 80 ACGB
10		J 100 ACGB
11		J 110 ACGB
12.5		J 125 ACGB

Schlüter®-JOLLY-AM



matte brass anodised aluminium

H (mm)		L = 2.50 m Art. No.
6		J 60 AM
8		J 80 AM
10		J 100 AM
11		J 110 AM
12.5		J 125 AM

Schlüter®-JOLLY-AMG



polished brass anodised aluminium

H (mm)		L = 2.50 m Art. No.
6		J 60 AMG
8		J 80 AMG
10		J 100 AMG
11		J 110 AMG
12.5		J 125 AMG

Schlüter®-JOLLY-AMGB



brushed brass anodised aluminium

H (mm)		L = 2.50 m Art. No.
6		J 60 AMGB
8		J 80 AMGB
10		J 100 AMGB
11		J 110 AMGB
12.5		J 125 AMGB

Schlüter®-JOLLY-AK



matte copper/bronze anodised aluminium

H (mm)		L = 2.50 m Art. No.
6		J 60 AK
8		J 80 AK
10		J 100 AK
11		J 110 AK
12.5		J 125 AK

Schlüter®-JOLLY-AKG



polished copper/bronze anodised aluminium

H (mm)		L = 2.50 m Art. No.
6		J 60 AKG
8		J 80 AKG
10		J 100 AKG
11		J 110 AKG
12.5		J 125 AKG

Schlüter®-JOLLY-AKGB



brushed copper/bronze anodised aluminium

H (mm)		L = 2.50 m Art. No.
6		J 60 AKGB
8		J 80 AKGB
10		J 100 AKGB
11		J 110 AKGB
12.5		J 125 AKGB

For 3 metre length, add "/300" to art. no. (e.g. J 60 ACG/300).



Schlüter®-JOLLY-AT



matte titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.
6	J 60 AT
8	J 80 AT
10	J 100 AT
11	J 110 AT
12.5	J 125 AT

Schlüter®-JOLLY-ATG



polished titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.
6	J 60 ATG
8	J 80 ATG
10	J 100 ATG
11	J 110 ATG
12.5	J 125 ATG

Schlüter®-JOLLY-ATGB



brushed titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.
6	J 60 ATGB
8	J 80 ATGB
10	J 100 ATGB
11	J 110 ATGB
12.5	J 125 ATGB

Schlüter®-JOLLY-ABGB



brushed antique bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.
6	J 60 ABGB
8	J 80 ABGB
10	J 100 ABGB
11	J 110 ABGB
12.5	J 125 ABGB

Schlüter®-JOLLY-AGRB



brushed chrome graphite anodised aluminium

H (mm)	L = 2.50 m Art. No.
6	J 60 AGRB
8	J 80 AGRB
10	J 100 AGRB
11	J 110 AGRB
12.5	J 125 AGRB

Schlüter®-JOLLY-AGSG



polished chrome black anodised aluminium



H (mm)	L = 2.50 m Art. No.
6	J 60 AGSG
8	J 80 AGSG
10	J 100 AGSG
11	J 110 AGSG
12.5	J 125 AGSG

CORNER | CONNECTOR

Schlüter®-JOLLY-A/EV

90° external corner
solid aluminium

H (mm)	Art. No.
6	EV / J 60 ...*
8	EV / J 80 ...*
10	EV / J 100 ...*
11	EV / J 110 ...*
12.5	EV / J 125 ...*



Schlüter®-JOLLY/V

connector for JOLLY profiles (4 pcs.)

Art. No.
V / JPP 4



To complete the art. no., add the finish (e.g. EV / J 60 ACG)

* Finishes: ABGB - ACG - ACGB - AGRB - AGSG - AK - AKG - AKGB - AM - AMG - AMGB - AT - ATG - ATGB

For an overview of finishes and colours as well as information on radius perforation, please see our price list PS 22 from page 284.




FINISHING PROFILE

Schlüter®-JOLLY-AC



Schlüter-JOLLY-AC are decorative profiles made of colour-coated aluminium to finish and protect tiled external wall corners and other tiled edges, e.g. tiled skirting. The 90 degree angled finishing leg safeguards tiles against mechanical damage. The joint spacers on both sides create a uniform grout joint with the tile. The geometric profile undercutting offers additional bonding surface for the grout. The innovative plug-in connection of the corner pieces results in neat, visually appealing corner formations.
(Product data sheet 2.3)



Schlüter®-JOLLY-AC



colour coated aluminium

H (mm)		L = 2.50 m Art. No.
6	⊗	J 60 ...*
8	⊗	J 80 ...*
10	⊗	J 100 ...*
11	⊗	J 110 ...*
12.5	⊗	J 125 ...*


For 3 metre length, add "/300" to art. no. (e.g. J 60 G/300).

CORNER | CONNECTOR

Schlüter®-JOLLY-AC/EV

90° external corner
colour coated aluminium

H (mm)	Art. No.
6	EV / J 60 ...*
8	EV / J 80 ...*
10	EV / J 100 ...*
11	EV / J 110 ...*
12.5	EV / J 125 ...*



Schlüter®-JOLLY/V

connector for JOLLY profiles (4 pcs.)

Art. No.
V / JPP 4



To complete the art. no., add the colour (e.g. EV / J 60 MBW)

BW
G
GM
GS
MBW
MGS
PG
SB
W

* Colours L = 2.50 m: BW - G - GM - GS - MBW - MGS - PG - SB - W

Colours L = 3.00 m: BW - GS - MBW - MGS - PG - W

For an overview of finishes and colours as well as information on radius perforation, please see our price list PS 22 from page 284.



Stainless steel/brass finish options



EB
brushed stainless steel



MC
chrome plated brass

Aluminium finish options



AE
anodised aluminium



AT
matte titanium anodised aluminium



AK
matte copper/bronze anodised aluminium



AM
matte brass anodised aluminium



ACG
polished chrome anodised aluminium



ATG
polished titanium anodised aluminium



AKG
polished copper/bronze anodised aluminium



AMG
polished brass anodised aluminium



AGSG
polished chrome anodised aluminium, black



ACGB
brushed chrome anodised aluminium



ATGB
brushed titanium anodised aluminium



AKGB
brushed copper/bronze anodised aluminium



AMGB
brushed brass anodised aluminium




ABGB
brushed antique bronze anodised aluminium



AGRB
brushed chrome graphite anodised aluminium


Aluminium coatings



TSI
aluminium, textured natural ivory



TSC
aluminium, textured natural cream



TSBG
aluminium, textured natural beige grey



TSB
aluminium, textured natural beige



TSSG
aluminium, textured natural stone grey



TSG
aluminium, textured natural grey



TSLA
aluminium, textured natural light anthracite




TSDA
aluminium, textured natural dark anthracite



TSR
aluminium, textured natural rustic brown



TSOB
aluminium, textured natural bronze



MBW
colour coated aluminium, matte brilliant white




MGS
colour coated aluminium, matte graphite black

Aluminium colours



BW
brilliant white - RAL 9003



W
white - RAL 9010



GM
grey metallic - RAL 9006



PG
pastel grey - no RAL



G
grey - RAL 7030



SB
black brown - RAL 8019



GS
graphite black - RAL 9011



i

Informative. Find out more!

Would you like to know more about Schlüter-Systems?
Then you might like to learn more. The quickest way is to visit our website.
For more information, visit our website at www.schluter.co.uk



Your authorised dealer:



P R O F I L E O F I N N O V A T I O N

Schlüter-Systems KG · Schmölestraße 7 · D-58640 Iserlohn
Tel.: +49 2371 971-261 · Fax: +49 2371 971-112 · info@schlueter.de · www.schlueter-systems.com
Schlüter-Systems Ltd · Units 3-5 Bardon 22 Industrial Estate · Beveridge Lane · Coalville · Leicestershire · LE67 1TE
Tel.: +44 1530 813396 · Fax: +44 1530 813376 · sales@schluter.co.uk · www.schluter.co.uk